Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14604	data near3 (backup\$4 archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:36
S2	17962	(data information) near3 (backup\$4 archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:06
S3	50	((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near9 compress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:17
S4	2368	((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:18
S5	63	(((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:18
S6	3	((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:26
S7	4	((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 term\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:21
S8	20	((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 time\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:22

						•
S9		(((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4)) or ((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4)) or ((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 time\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:22
S10	234	((data information) near3 (backup\$4 archiv\$4)) and ((backup\$4 archiv\$4) near6 cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 16:27
S11	66	(((data information) near3 (backup\$4 archiv\$4)) and ((backup\$4 archiv\$4) near6 cycl\$4)) and (compress\$4 near5 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:00
S12	1	"5649196".pn. and retriev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 15:11
S13	1	"5649196".pn. and retriev\$4 and compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 15:20
S14	0	bakup\$4 same compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 15:21
S15	3202	backup\$4 same compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 15:21

S16	31	(backup\$4 same compress\$4) and (backup near5 cycle\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 15:21
S17	617	((data infomration record\$3 table\$3) near5 (backup\$4 archiv\$4 (back\$4 near4 up)) near6 (cycl\$4 schedul\$4 plan\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 18:56
S18	133	S17 and ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:17
S19	6	S18 and (idl\$4 near5 tim\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:02
S20	5	S17 and (restor\$4 re-stor\$4 (re\$3 near3 stro\$4)) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:10
S21	5	S17 and (restor\$4 re-stor\$4 (re\$3 near3 stor\$4)) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:12
S22	16	S17 and (extract\$4 retriev\$4) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:13
S23	5	S17 same ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 19:15
S24	18507	(backup (back\$3 near4 up) back-up archiv\$4) near5 (cycl\$4 plan\$3 schedul\$3 TIM\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:13
S25	2816	(compress\$4 *zip\$4) near5 (backup (back\$3 near4 up) back-up archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:13

S26	166	534 same (compressed #=i=d4)	LIC DCDLID		ON	2004/12/22 10 12
320	100	S24 same (compress\$4 *zip\$4) near5 (backup (back\$3 near4 up) back-up archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:13
S27	93	S26 and ((re-stor\$4) stor\$4) near6 compress\$4 *zip\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 10:15
S28	5196	(backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (cycl\$4 period\$3 tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:26
S29	204	(backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (cycl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:49
S30	5	S29 and (compress\$4 zip\$3gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:57
S31	5	S29 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:50
S32	675	(compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:30
S33	171	S28 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:31

	Υ			1		<del></del>
S34	19	S33 and (idl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:48
S35	1256	707/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:48
S36	44092	(backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:49
S37	657	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:51
S38	2	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near6 idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:07
S39	2	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near10 idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:11
S40	4	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:08
S41	0	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (inactiv\$4 sleep\$4 hibernat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:09

	<del></del>		T	I	1	
S42	1	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same (inactiv\$4 sleep\$4 hibernat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:10
S43	0	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 cycl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:10
S44	14	S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same cycl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/19 16:11
S45	2	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near6 idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:08
S46	4	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:08
S47	0	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (inactiv\$4 sleep\$4 hibernat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:09
S48	1	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same (inactiv\$4 sleep\$4 hibernat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/19 16:10
S49		S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 cycl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:10

S50	2	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near10 idl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/10/19 16:11
S51	14	S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same cycl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:12
S52	675	(compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/19 16:29
S53	146	S52 and (retriev\$4 extract\$4) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:57
S54	390	(backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:57
S55	· 18	S54 and (compress\$4 zip\$3gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:57
S56	18	S54 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:58
S57	215	(defin\$4 set\$3 configur\$4) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4 schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/10/20 14:21

		LAST Scare	•	•		
S58	4	S57 and (idl\$3 near5 period\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:17
S59	3	S57 and (sleep\$3 near5 period\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:18
S60	41	S57 and (backup\$3 near5 period\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/20 14:18
S61	41	(defin\$4 ) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4 schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:22
S62	17	(defin\$4 ) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:22
S63	74490	data near3 (backup\$4 archiv\$4 replica\$3 synchroniz\$4 (back-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:41
S64	124395	data near3 (cop\$3 backup\$4 archiv\$4 replica\$3 synchroniz\$4 (back-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:41
S65	14992	S64 near6 (time\$3 period\$3 cycle\$3 schedul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:43
S66	3592	S65 and (compress\$3 zip\$3 gnzip bzip b2zip lempil lzs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:45

		·				
S67	2411	S65 and (compress\$3 zip\$3 gnzip bzip b2zip lempil lzs) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:45
S68	217	S65 and (compress\$3 zip\$3 gnzip bzip b2zip lempil lzs) near5 data near5 (backup archiv\$3 replica\$3 synchroniz\$3 (back-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:46
S69	139	S68 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:44
S70	909	raw\$2 near5 (data information reocrd\$3) near5 (backup\$4 archiv\$4 cop\$3 warehous\$3 synchroniz\$3 replica\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:43
S71	1092	(raw\$2 uncompress\$3) near5 (data information reocrd\$3) near5 (backup\$4 archiv\$4 cop\$3 warehous\$3 synchroniz\$3 replica\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:42
S72	353	S71 and compress\$3 near5 (data information reocrd\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:43
S73	156615	(backup\$4 archiv\$4 cop\$3 warehous\$3 synchroniz\$3 replica\$5) near5 (schedul\$3 tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:44
S74	155	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:44
S75	98	S74 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:39

S76	547	backup\$3 near5 cycl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:44
S77	149043	(compress\$3 zip\$3 archiv\$3 ) near5 (information data reocrd\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:41
S78	69	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 16:39
S79	42	S78 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:42
S80	337 <del>44</del>	(backup back-up\$2 replica\$5) near5 (schedul\$3 cycl\$4 tim\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:06
S81	34540	S70 or S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:36
S82	226	S81 and (compress\$3 zip\$3) near5 (uncompress\$3 raw\$2) near5 (data information reocrd\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:37
S83	101	S82 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:37

S84	135573	(compress#3 zin#3 ) noorE	US-PGPUB;	OR	ON	2006/11/01 17:45
304	1353/3	(compress\$3 zip\$3 ) near5 (information data reocrd\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:45
S85	1455	S70 or S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:42
S86	247	S84 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:43
S87	156	S86 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:46
S88	35	S82 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:43
S89	1515	backup\$3 near5 (cycl\$3 schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:44
S90	5477759	S89 and (compress\$3 zip\$3 ) near5 (raw\$2 uncompress\$3 backup) (information data reocrd\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 17:45
S91	31	S89 and (compress\$3 zip\$3 ) near5 (raw\$2 uncompress\$3 backup\$2) near5 (information data reocrd\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	ON	2006/11/01 17:45

S92	10	S91 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:09
S93	183	(uncompress\$3 raw\$2) near5 (backup back-up\$2 replica\$5 warehous\$3) near5 (schedul\$3 cycl\$4 dat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:19
S94	183	(uncompress\$3 raw\$2) near5 (backup\$2 back-up\$2 replica\$5 warehous\$3) near5 (schedul\$3 cycl\$4 dat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:08
S95	21	S94 and (compress\$3 zip\$3 archiv\$3) near5 (backup\$2 back-up\$2 replica\$5 warehous\$3) near5 (data information\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:21
S96	14	S95 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:21
S97	52487	(backup back-up\$2 replica\$5 warehous\$3) near5 (schedul\$3 cycl\$4 dat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:19
S98	1514	S97 and (compress\$3 zip\$3 archiv\$3) near5 (backup\$2 back-up\$2 replica\$5 warehous\$3) near5 (data information\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:22
S99	770	S98 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:23

	· · · · · · · · · · · · · · · · · · ·			· · ·		
S10 0	1429	S97 same (compress\$3 zip\$3 archiv\$3) near5 (backup\$2 back-up\$2 replica\$5 warehous\$3) near5 (data information\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:26
S10 1	722	S100 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:26
S10 2	2066	S97 same (compress\$3 zip\$3 archiv\$3) near5 (data information\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:28
S10 3	1044	S102 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:26
S10 4	114	S103 and (compress\$3 ) near5 (data information\$3 record\$3) near5 backup\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:28